



QHTM COLLETS

CLAMPS





DOUBLE BOLT CLAMP



Application

: A rugged ductile iron two bolt clamp with saddles

Size	Open	Weight (lbs)	Part #
21/32"	7/8"	0.22	DBC-22-DP
7/8"	1-9/64"	0.33	DBC-29-DP
1-5/16"	1-11/16"	0.35	DBC-34-DP
1-5/16"	1-19/32"	0.48	DBC-40-DP
1-5/8"	1-15/16"	0.40	DBC-49-DP
1-7/8"	2-3/8"	0.70	DBC-60-DP
2-3/8"	3-1/16"	0.79	IDBC-76-DP
3-1/2"	3-11/16"	1.32	DBC-94-DP
3-3/4"	4-1/2"	2.20	DBC-115-DP
3-1/2"	4"	1.76	DBC-400-DP
3-13/16"	4-1/16"	2.20	DBC-431-DP
4-1/16"	4-7/16"	1.76	DBC-463-DP
4-3/16"	5"	2.31	DBC-525-DP
5"	5-1/2"	2.31	DBC-550-DP
5-1/2"	5-15/16"	2.64	DBC-600-DP
5-11/16"	5-15/16"	2.60	DBC-639-DP
6-1/8"	6-7/8"	2.64	DBC-675-DP
6-15/16"	7-5/8"	3.30	DBC-769-DP
7-11/16"	8-3/16"	5.29	DBC-818-DP
8-1/4"	8-7/8"	5.29	DBC-875-DP
8-15/16"	9-7/8"	5.95	DBC-988-DP
9-15/16"	11-3/8"	9.36	DBC-1125-DP
11-3/16"	13"	9.36	DBC-1275-DP
12-3/16"	14"	14.50	DBC-1360-DP
13-3/16"	15"	16.15	DBC-1450-DP
15-1/16"	17-1/2"	21.29	DBC-1700-DP



CLAMPS / COLLETS

HEAVY DUTY CLAMP



Size	Open	Weight (lbs)	Std Pack Qty	Part #
1-1/8"	1-1/4"	0.40	120	R88DB-12-DP
1-3/8"	1-1/2"	0.40	100	R88DB-16-DP
1-5/8"	1-3/4"	0.55	100	R88DB-20-DP
2"	2-1/8"	0.63	80	R88DB-24-DP
2-1/4"	2-3/8"	1.03	60	R88DB-32-DP



CLAMPS / COLLETS

GEAR MICRO CLAMP



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
7/16"	7/32"	5/8"	0.02	10	GCM-04
1/2"	7/16"	11/16"	0.02	10	GCM-05
9/16"	5/16"	7/8"	0.02	10	GCM-06
5/8"	7/16"	1"	0.02	10	GCM-08
3/4"	1/2"	1-1/16"	0.02	10	GCM-10
13/16"	9/16"	1-1/4"	0.02	10	GCM-12
1"	11/16"	1-1/2"	0.02	10	GCM-16
1-1/4"	7/8"	1-3/4"	0.03	10	GCM-20
1-1/2"	1-5/16"	2"	0.03	10	GCM-24
1-3/4"	1-9/16"	2-1/4"	0.03	10	GCM-28
2"	1-13/16"	2-1/2"	0.03	10	GCM-32
2-1/4"	2-1/16"	2-3/4"	0.03	10	GCM-36

TRIDON GEAR MICRO CLAMP



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
7/16"	7/32"	5/8"	0.02	10	MH-04
1/2"	7/16"	11/16"	0.02	10	MH-05
9/16"	5/16"	7/8"	0.02	10	MH-06
5/8"	7/16"	1"	0.02	10	MH-08
3/4"	1/2"	1-1/16"	0.02	10	MH-10
13/16"	9/16"	1-1/4"	0.02	10	MH-12
1"	11/16"	1-1/2"	0.02	10	MH-16
1-1/4"	7/8"	1-3/4"	0.03	10	MH-20
1-1/2"	1-5/16"	2"	0.03	10	MH-24
1-3/4"	1-9/16"	2-1/4"	0.03	10	MH-28
2"	1-13/16"	2-1/2"	0.03	10	MH-32
2-1/4"	2-1/16"	2-3/4"	0.03	10	MH-36

Product Information : 5/16" wide 201 Stainless band and housing with 1/4" plated carbon steel screw.



GEAR MICRO CLAMP STAINLESS



Size	Fractional Min	Fractional Max	Weight (lbs)	Stdl Pack Qty	Part#
7/16 ¹¹	7/32"	5/8"	0.02	10	GCMS-04
1/2"	7/16"	11/16"	0.02	10	GCMS-05
9/16"	5/16"	7/8"	0.02	10	GCMS-06
5/8"	7/16"	1"	0.02	10	GCMS-08
3/4"	1/2"	1-1/16"	0.02	10	GCMS-10
13/16"	9/16"	1-1/4"	0.02	10	GCMS-12
1"	11/16"	1-1/2"	0.02	10	GCMS-16
1-1/4"	7/8"	1-3/4"	0.02	10	GCMS-20
1-1/2"	1-5/16"	2"	0.03	10	GCMS-24
1-3/4"	1-9/16"	2-1/4"	0.03	10	GCMS-28
2"	1-13/16"	2-1/2"	0.03	10	GCMS-32
2-1/4"	2-1/16"	2-3/4"	0.03	10	GCMS-36

GEAR MICRO CLAMP STAINLESS QUICK RELEASE



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
3"	1-1/2"	3-1/2"	0.08	10	GCL-48
3-1/2"	1" 2"	4"	0.09	10	GCL-56
4-1/2"	2-1/16	5"	0.10	10	GCL-72
5-1/2"	"	6"	0.11	10	GCL-88
6"	3-1/2"	6-9/16"	0.11	10	GCL-96
6-1/2"	1-3/4"	7"	0.12	100	GCL-104
8"	1-3/4"	8-9/16"	0.13	100	GCL-128
9-1/2"	2"	10"	0.15	100	GCL-152
11-3/4"	2-1/16 "	12-5/16"	0.17	100	GCL-188



CLAMPS / COLLETS

GEAR CLAMP



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
7/16"	3/8"	7/8"	0.04	10	GC-06
1/2"	7/16"	1"	0.04	10	GC-08
5/8"	9/16"	1-1/16"	0.04	10	GC-10
3/4"	9/16"	1-1/4"	0.04	10	GC-12
1"	11/16"	1-1/2"	0.05	10	GC-16
1-1/4"	3/4"	1-3/4"	0.05	10	GC-20
1-1/2"	1-1/16"	2"	0.05	10	GC-24
1-3/4"	1-5/16"	2-1/4"	0.05	10	GC-28
2"	1-9/16"	2-1/2"	0.06	10	GC-32
2-1/4"	1-13/16"	2-3/4"	0.06	10	GC-36
2-1/2"	2-1/16"	3"	0.06	10	GC-40
2-3/4"	2-5/16"	3-1/4"	0.07	10	GC-44
3"	2-9/16"	3-1/2"	0.07	10	GC-48
3-1/4"	2-13/16"	3-3/4"	0.07	10	GC-52
3-1/2"	3-1/16"	4"	0.07	10	GC-56
3-3/4"	3-5/16"	4-1/4"	0.08	10	GC-60
3-1/2"	2-1/2"	4-1/2"	0.08	10	GC-64
4"	3"	5"	0.08	10	GC-72
4-1/2"	3-1/2"	5-3/4"	0.09	10	GC-80
4-3/4"	3-3/4"	5-3/4"	0.09	10	GC-84
5-1/2"	4"	6"	0.09	10	GC-88
6"	4-1/2"	6-1/2"	0.10	10	GC-96
6-1/2"	5"	7"	0.11	100	GC-104
7"	5-3/4"	7-3/4"	0.11	100	GC-116
8"	6-1/2"	8-1/2"	0.12	100	GC-128
9-1/2"	8"	10"	0.14	100	GC-152
10"	8-3/4"	10-3/4"	0.14	100	GC-164
11-3/4"	10-1/4"	12-1/4"	0.16	100	GC-188
12-1/2"	11"	13"	0.17	100	GC-200
13-1/4"	11-3/4"	13-3/4"	0.18	100	GC-212
14"	12-1/2"	14-1/2"	0.18	100	GC-224
14-3/4"	13-1/4"	15-1/4"	0.19	100	GC-236
15-1/2"	14"	16"	0.20	100	GC-248
16-5/8"	15-3/8"	17-3/8"	0.22	100	GC-270
19-1/2"	18"	20"	0.24	100	GC-312
24-1/8"	22-7/8"	24-7/8"	0.30	100	GC-390



CLAMPS / COLLETS

TRIDON GEAR CLAMP



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
7/16"	3/8"	7/8"	0.04	10	HS-06
1/2"	7/16"	1"	0.04	10	HS-08
5/8"	9/16"	1-1/16"	0.04	10	HS-10
3/4"	9/16"	1-1/4"	0.04	10	HS-12
1"	11/16"	1-1/2"	0.05	10	HS-16
1-1/4"	3/4"	1-3/4"	0.05	10	HS-20
1-1/2"	1-1/16"	2"	0.05	10	HS-24
1-3/4"	1-5/16"	2-1/4"	0.05	10	HS-28
2"	1-9/16"	2-1/2"	0.06	10	HS-32
2-1/4"	1-13/16"	2-3/4"	0.06	10	HS-36
2-1/2"	2-1/16"	3"	0.06	10	HS-40
2-3/4"	2-5/16"	3-1/4"	0.07	10	HS-44
3"	2-9/16"	3-1/2"	0.07	10	HS-48
3-1/4"	2-13/16"	3-3/4"	0.07	10	HS-52
3-1/2"	3-1/16"	4"	0.07	10	HS-56
3-3/4"	3-5/16"	4-1/4"	0.08	10	HS-60
3-1/2"	2-1/2"	4-1/2"	0.08	10	HS-64
4"	3"	5"	0.08	10	HS-72
4-1/2"	3-1/2"	5-3/4"	0.09	10	HS-80
4-3/4"	3-3/4"	5-3/4"	0.09	10	HS-84
5-1/2"	4"	6"	0.09	10	HS-88
6"	4-1/2"	6-1/2"	0.10	10	HS-96
6-1/2"	5"	7"	0.11	100	HS-104
7"	5-3/4"	7-3/4"	0.11	100	HS-116
8"	6-1/2"	8-1/2"	0.12	100	HS-128
9-1/2"	8"	10"	0.14	100	HS-152
10"	8-3/4"	10-3/4"	0.14	100	HS-164
11-3/4"	10-1/4"	12-1/4"	0.16	100	HS-188
12-1/2"	11"	13"	0.17	100	HS-200
13-1/4"	11-3/4"	13-3/4"	0.18	100	HS-212
14"	12-1/2"	14-1/2"	0.18	100	HS-224
14-3/4"	13-1/4"	15-1/4"	0.19	100	HS-236
15-1/2"	14"	16"	0.20	100	HS-248
16-5/8"	15-3/8"	17-3/8"	0.22	100	HS-270
19-1/2"	18"	20"	0.24	100	HS-312
24-1/8"	22-7/8"	24-7/8"	0.30	100	HS-390

Product Information : 1/2" Wide 201 Stainless Steel band and 301 Stainless Steel housing



CLAMPS / COLLETS

TRIDON GEAR CLAMP SILICONE HOSE



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
1/2"	5/8"	13/16"	0.04	10	ET-08
7/8"	3/4"	15/16"	0.04	10	ET-10
7/8"	3/4"	1-1/8"	0.04	10	ET-12
1"	13/16"	1-3/8"	0.07	10	ET-16
1-1/4"	1-1/8"	1-5/8"	0.07	10	ET-20
1-1/2"	1-3/16"	1-15/16"	0.07	10	ET-24
1-3/4"	1-5/16"	2-1/4"	0.07	10	ET-28
2"	1-9/16"	2-1/2"	0.07	10	ET-32
2-1/4"	1-13/16"	2-3/4"	0.07	10	ET-36
2-1/2"	2-1/16"	3"	0.09	10	ET-40
2-3/4"	2-5/16"	3-1/4"	0.09	10	ET-44
3"	2-9/16"	3-1/2"	0.09	10	ET-48

Product Information : 1/2" wide 301 Stainless steel band and housing with carbon steel screw. Also incorporates a 301 Stainless steel inner shield to protect silicone hose •



CLAMPS / COLLETS

GEAR CLAMP STAINLESS



Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
7/16"	3/8"	7/8"	0.04	10	GCS-06
1/2"	7/16"	1"	0.04	10	GCS-08
5/8"	9/16"	1-1/16"	0.04	10	GCS-10
3/4"	9/16"	1-1/4"	0.04	10	GCS-12
1"	11/16"	1-1/2"	0.05	10	GCS-16
1-1/4"	3/4"	1-3/4"	0.05	10	GCS-20
1-1/2"	1-1/16"	2"	0.05	10	GCS-24
1-3/4"	1-5/16"	2-1/4"	0.05	10	GCS-28
2"	1-9/16"	2-1/2"	0.06	10	GCS-32
2-1/4"	1-13/16"	2-3/4"	0.06	10	GCS-36
2-1/2"	2-1/16"	3"	0.06	10	GCS-40
2-3/4"	2-5/16"	3-1/4"	0.06	10	GCS-44
3"	2-9/16"	3-1/2"	0.07	10	GCS-48
3-1/4"	2-13/16"	3-3/4"	0.07	10	GCS-52
3-1/2"	3-1/16"	4"	0.07	10	GCS-56
3-3/4"	3-5/16"	4-1/4"	0.08	10	GCS-60
3-1/2"	2-1/2"	4-1/2"	0.08	10	GCS-64
4"	3"	5"	0.08	10	GCS-72
4-1/2"	3-1/2"	5-3/4"	0.09	10	GCS-80
4-3/4"	3-3/4"	5-3/4"	0.09	10	GCS-84
5-1/2"	4"	6"	0.09	10	GCS-88
6"	4-1/2"	6-1/2"	0.10	10	GCS-96
6-1/2"	5"	7"	0.10	100	GCS-104
7"	5-3/4"	7-3/4"	0.11	100	GCS-116
8"	6-1/2"	8-1/2"	0.12	100	GCS-128
9-1/2"	8"	10"	0.14	100	GCS-152
10"	8-3/4"	10-3/4"	0.14	100	GCS-164
11-3/4"	10-1/4"	12-1/4"	0.16	100	GCS-188
12-1/2"	11"	13"	0.17	100	GCS-200
13-1/4"	11-3/4"	13-3/4"	0.18	100	GCS-212
14"	12-1/2"	14-1/2"	0.18	100	GCS-224
14-3/4"	13-1/4"	15-1/4"	0.19	100	GCS-236
15-1/2"	14"	16"	0.20	100	GCS-248
16-5/8"	15-3/8"	17-3/8"	0.21	100	GCS-270
19-1/2"	18"	20"	0.24	100	GCS-312
24-1/8"	22-7/8"	24-7/8"	0.29	100	GCS-390



CLAMPS / COLLETS

TRIDON GEAR CLAMP STAINLESS




Size	Fractional Min	Fractional Max	Weight (lbs)	Std Pack Qty	Part #
7/16"	3/8"	7/8"	0.04	10	HAS-06
1/2"	7/16"	1"	0.04	10	HAS-08
5/8"	9/16"	1-1/16"	0.04	10	HAS-10
3/4"	9/16"	1-1/4"	0.04	10	HAS-12
1"	11/16"	1-1/2"	0.05	10	HAS-16
1-1/4"	3/4"	1-3/4"	0.05	10	HAS-20
1-1/2"	1-1/16"	2"	0.05	10	HAS-24
1-3/4"	1-5/16"	2-1/4"	0.05	10	HAS-28
2"	1-9/16"	2-1/2"	0.06	10	HAS-32
2-1/4"	1-13/16"	2-3/4"	0.06	10	HAS-36
2-1/2"	2-1/16"	3"	0.06	10	HAS-40
2-3/4"	2-5/16"	3-1/4"	0.06	10	HAS-44
3"	2-9/16"	3-1/2"	0.07	10	HAS-48
3-1/4"	2-13/16"	3-3/4"	0.07	10	HAS-52
3-1/2"	3-1/16"	4"	0.07	10	HAS-56
3-3/4"	3-5/16"	4-1/4"	0.08	10	HAS-60
3-1/2"	2-1/2"	4-1/2"	0.08	10	HAS-64
4"	3"	5"	0.08	10	HAS-72
4-1/2"	3-1/2"	5-3/4"	0.09	10	HAS-80
4-3/4"	3-3/4"	5-3/4"	0.09	10	HAS-84
5-1/2"	4"	6"	0.09	10	HAS-88
6"	4-1/2"	6-1/2"	0.10	10	HAS-96
6-1/2"	5"	7"	0.10	100	HAS-104
7"	5-3/4"	7-3/4"	0.11	100	HAS-116
8"	6-1/2"	8-1/2"	0.12	100	HAS-128
9-1/2"	8"	10"	0.14	100	HAS-152
10"	8-3/4"	10-3/4"	0.14	100	HAS-164
11-3/4"	10-1/4"	12-1/4"	0.16	100	HAS-188
12-1/2"	11"	13"	0.17	100	HAS-200
13-1/4"	11-3/4"	13-3/4"	0.18	100	HAS-212
14"	12-1/2"	14-1/2"	0.18	100	HAS-224
14-3/4"	13-1/4"	15-1/4"	0.19	100	HAS-236
15-1/2"	14"	16"	0.20	100	HAS-248
16-5/8"	15-3/8"	17-3/8"	0.21	100	HAS-270
19-1/2"	18"	20"	0.24	100	HAS-312
24-1/8"	22-7/8"	24-7/8"	0.29	100	HAS-390

Product Information : 5/16" Wide 301 Stainless Steel band and housing with 5/16" 401 Stainless Steel screw. Designed to allow rapid installation and removal.



CLAMPS / COLLETS

HAMMER LOCK TOOLS



Description	Weight (lbs)	Std Pack Qty	Part #
P1 HAMMER LOCK TOOL	2.80	1	P1
P1000 TOOL	3.00	1	P1000
P300 TOOL	3.30	1	P300
P38 TOOL	1.00	1	P38



CLAMPS / COLLETS

HAMMER LOCK CLAMPS



Description	Weight (lbs)	Std Pack Qty	Part #
1" HAMMER LOCK 5/8" WIDE	0.07	100	CPHL-04
1-1/4" HAMMER LOCK 5/8" WIDE	0.08	100	CPHL-05
1-1/2" HAMMER LOCK 5/8" WIDE	0.08	100	CPHL-06
1-3/4" HAMMER LOCK 5/8" WIDE	0.09	100	CPHL-07
2" HAMMER LOCK 5/8" WIDE	0.10	100	CPHL-08
2-1/4" HAMMER LOCK 5/8" WIDE	0.11	50	CPHL-09
2-1/2" HAMMER LOCK 5/8" WIDE	0.12	50	CPHL-10
2-3/4" HAMMER LOCK 5/8" WIDE	0.12	50	CPHL-11
3" HAMMER LOCK 5/8" WIDE	0.13	50	CPHL-12
3-1/2" HAMMER LOCK 5/8" WIDE	0.15	50	CPHL-14
4" HAMMER LOCK 5/8" WIDE	0.16	25	CPHL-16
4-1/2" HAMMER LOCK 5/8" WIDE	0.18	25	CPHL-18
5" HAMMER LOCK 5/8" WIDE	0.19	25	CPHL-20
6" HAMMER LOCK 5/8" WIDE	0.23	25	CPHL-24
6-1/2" HAMMER LOCK 5/8" WIDE	0.24	25	CPHL-26
7" HAMMER LOCK 5/8" WIDE	0.26	25	CPHL-28
8" HAMMER LOCK 5/8" WIDE	0.29	20	CPHL-32
1" HAMMER LOCK 3/8" WIDE	0.03	100	CPHL-310
1-3/16 HAMMER LOCK 3/8" WIDE	0.03	100	CPHL-03
1-3/8" HAMMER LOCK 3/8" WIDE	0.04	100	CPHL-311
2" HAMMER LOCK 3/8" WIDE	0.05	100	CPHL-316



CLAMPS / COLLETS

HAMMER LOCK CLAMPS STAINLESS



Description	Weight (lbs)	Std Pack Qty	Part #
1" HAMMER LOCK 5/8" WIDE	0.07	100	CPHLS-04
1-1/4" HAMMER LOCK 5/8" WIDE	0.08	100	CPHLS-05
1-1/2" HAMMER LOCK 5/8" WIDE	0.08	100	CPHLS-06
1-3/4" HAMMER LOCK 5/8" WIDE	0.09	100	CPHLS-07
2" HAMMER LOCK 5/8" WIDE	0.10	100	CPHLS-08
2-1/4" HAMMER LOCK 5/8" WIDE	0.11	50	CPHLS-09
2-1/2" HAMMER LOCK 5/8" WIDE	0.12	50	CPHLS-10
2-3/4" HAMMER LOCK 5/8" WIDE	0.12	50	CPHLS-11
3" HAMMER LOCK 5/8" WIDE	0.13	50	CPHLS-12
3-1/2" HAMMER LOCK 5/8" WIDE	0.15	50	CPHLS-14
4" HAMMER LOCK 5/8" WIDE	0.16	25	CPHLS-16
4-1/2" HAMMER LOCK 5/8" WIDE	0.18	25	CPHLS-18
5" HAMMER LOCK 5/8" WIDE	0.19	25	CPHLS-20
6" HAMMER LOCK 5/8" WIDE	0.23	25	CPHLS-24
6-1/2" HAMMER LOCK 5/8" WIDE	0.24	25	CPHLS-26
7" HAMMER LOCK 5/8" WIDE	0.26	25	CPHLS-28
8" HAMMER LOCK 5/8" WIDE	0.29	20	CPHLS-32
1" HAMMER LOCK 3/8" WIDE	0.03	100	CPHLS-310
1-3/16 HAMMER LOCK 3/8" WIDE	0.03	100	CPHLS-03
1-3/8" HAMMER LOCK 3/8" WIDE	0.04	100	CPHLS-311
2" HAMMER LOCK 3/8" WIDE	0.05	100	CPHLS-316



CLAMPS / COLLETS

OPEN END CLAMPS



Description	Weight (lbs)	Std Pack Qty	Part #
CPO8 2" OPEN END CLAMP-5/8 WIDE	0.09	100	CPO-08
CPO10 2-1/2" OPEN END CLAMP	0.11	50	CPO-10
CPO12 3" OPEN END CLAMP	0.13	50	CPO-12
CP014 3-1/2" OPEN END CLAMP	0.16	50	CPO-14
CPO16 4" OPEN END CLAMP	0.18	25	CPO-16
CP018 4-1/2" OPEN END CLAMP	0.19	25	CPO-18
CP020 5" OPEN END CLAMP	0.20	25	CPO-20
CPO24 6" OPEN END CLAMP	0.22	25	CPO-24
CP028 7" OPEN END CLAMP	0.24	25	CPO-28
CPO32 8" OPEN END CLAMP	0.29	25	CPO-32
CP036 9" OPEN END CLAMP	0.32	25	CPO-36
CPO40 10" OPEN END CLAMP	0.36	25	CPO-40
CPO48 12" OPEN END CLAMP	0.43	20	CPO-48
CPO56 14" OPEN END CLAMP	0.48	20	CPO-56
CPO72 18" OPEN END CLAMP	0.59	20	CPO-72
CPO96 24" OPEN END CLAMP	0.78	20	CPO-96
CPO311 1-3/8 OPEN END CLAMP	0.04	100	CPO-311
CPO316 2"OPEN END CL 3/8"WIDE	0.05	100	CPO-316
CPO325 3-3/8 OPEN END CLAMP	0.07	100	CPO-325



CLAMPS / COLLETS

OPEN END CLAMPS STAINLESS



Description	Weight (lbs)	Std Pack Qty	Part #
CPO8 2" OPEN END CLAMP-5/8 WIDE	0.09	100	CPOS-08
CPO10 2-1/2" OPEN END CLAMP	0.11	50	CPOS-10
CPO12 3" OPEN END CLAMP	0.13	50	CPOS-12
CP014 3-1/2" OPEN END CLAMP	0.16	50	CPOS-14
CPO16 4" OPEN END CLAMP	0.18	25	CPOS-16
CP018 4-1/2" OPEN END CLAMP	0.19	25	CPOS-18
CP020 5" OPEN END CLAMP	0.20	25	CPOS-20
CPO24 6" OPEN END CLAMP	0.22	25	CPOS-24
CP028 7" OPEN END CLAMP	0.24	25	CPOS-28
CPO32 8" OPEN END CLAMP	0.29	25	CPOS-32
CP036 9" OPEN END CLAMP	0.32	25	CPOS-36
CPO40 10" OPEN END CLAMP	0.36	25	CPOS-40
CPO48 12" OPEN END CLAMP	0.43	20	CPOS-48
CPO56 14" OPEN END CLAMP	0.48	20	CPOS-56
CPO72 18" OPEN END CLAMP	0.59	20	CPOS-72
CPO96 24" OPEN END CLAMP	0.78	20	CPOS-96
CPO311 1-3/8 OPEN END CLAMP	0.04	100	CPOS-311
CPO316 2"OPEN END CL 3/8"WIDE	0.05	100	CPOS-316
CPO325 3-3/8 OPEN END CLAMP	0.07	100	CPOS-325



CLAMPS / COLLETS

OETIKER CLAMP 2 EAR



Size	Closed	Open	Weight (lbs)	Std Pack Qty	Part #
5/32"	0.122"	0.161"	0.01	100	OET-0041
11/64"	0.138"	0.177"	0.01	100	OET-0045
3/16"	0.118"	0.197"	0.01	100	OET-0305
1/4"	0.197"	0.276"	0.01	100	OET-0507
5/16"	0.276"	0.354"	0.01	100	OET-0709
3/8"	0.315"	0.433"	0.01	100	OET-0811
7/16"	0.354"	0.433"	0.01	100	OET-0911
1/2"	0.433"	0.512"	0.01	100	OET-1113
9/16"	0.512"	0.591"	0.01	100	OET-1315
19/32"	0.591"	0.669"	0.02	100	OET-1517
5/8"	0.591"	0.708"	0.02	100	OET-1518
3/4"	0.669"	0.787"	0.02	100	OET-1720
13/16"	0.748"	0.865"	0.02	100	OET-1922
7/8"	0.787"	0.905"	0.02	100	OET-2023
15/16"	0.866"	0.984"	0.02	100	OET-2225
1"	0.905"	1.063"	0.02	100	OET-2327
1-1/16"	0.984"	1.012"	0.02	100	OET-2528
1-1/8"	1.063"	1.220"	0.02	100	OET-2731
1-5/16"	1.220"	1.339"	0.02	100	OET-3134
1-7/16"	1.339"	1.457"	0.04	100	OET-3437
1-1/2"	1.457"	1.575"	0.04	100	OET-3740
1-5/8"	1.575"	1.693"	0.04	100	OET-4043
1-3/4"	1.693"	1.811"	0.04	100	OET-4346

Product Information : 1-Ear Clamps, 3-Ear Clamps, Twin Clamps, Clamp Kits, and special tools and fittings are available on request.

Description	Weight (lbs)	Part #
STRAIGHT JAW PINCER OETIKER	0.70	CCP-1098
STRAIGHT JAW PINCER	0.70	OETP-1098





CLAMPS / COLLETS

OETIKER CLAMP 2 EAR STAINLESS



Size	Closed	Open	Weight (lbs)	Std Pack Qty	Part #
5/32"	0.122"	0.161"	0.01	100	OET-R0041
11/64"	0.138"	0.177"	0.01	100	OET-R0045
3/16"	0.118"	0.197"	0.01	100	OET-R0305
1/4"	0.197"	0.276"	0.01	100	OET-R0507
5/16"	0.276"	0.354"	0.01	100	OET-R0709
3/8"	0.315"	0.433"	0.01	100	OET-R0811
1/2"	0.433"	0.512"	0.01	100	OET-R1113
9/16"	0.512"	0.591"	0.01	100	OET-R1315
19/32"	0.591"	0.669"	0.02	100	OET-R1517
5/8"	0.591"	0.708"	0.02	100	OET-R1518
3/4"	0.669"	0.787"	0.02	100	OET-R1720
13/16"	0.748"	0.865"	0.02	100	OET-R1922
7/8"	0.787"	0.905"	0.02	100	OET-R2023
15/16"	0.866"	0.984"	0.02	100	OET-R2225
1"	0.905"	1.063"	0.02	100	OET-R2327
1-1/16"	0.984"	1.012"	0.02	100	OET-R2528
1-1/8"	1.063"	1.220"	0.02	100	OET-R2731
1-5/16"	1.220"	1.339"	0.03	100	OET-R3134
1-7/16"	1.339"	1.457"	0.04	100	OET-R3437
1-1/2"	1.457"	1.575"	0.03	100	OET-R3740
1-5/8"	1.575"	1.693"	0.04	100	OET-R4043
1-3/4"	1.693"	1.811"	0.04	100	OET-R4346

Product Information : 1-Ear Clamps, 3-Ear Clamps, Twin Clamps, Clamp Kits, and special tools and fittings are available on request.



M6 MAXI CLAMP LIGHT



Application

:Rugged Heavy Duty Wide Band Clamp for use in medium pressure

Size	Decimal Min	Decimal Max	Weight (lbs)	Std Pack Qty	Part #
23-25mm	0.87"	1.01"	0.10	100	M6-23
26-28mm	1.02"	1.13"	0.10	100	M6-26
29-31mm	1.14"	1.25"	0.10	100	M6-29
32-35mm	1.26"	1.41"	0.11	100	M6-32
36-39mm	1.42"	1.56"	0.11	100	M6-36
40-43mm	1.57"	1.72"	0.12	100	M6-40
44-47mm	1.73"	1.88"	0.12	100	M6-44
48-51mm	1.89"	2.04"	0.12	100	M6-48
52-55mm	2.05"	2.17"	0.13	100	M6-52
56-59mm	2.20"	2.35"	0.14	100	M6-56
60-63mm	2.36"	2.51"	0.14	100	M6-60
64-67mm	2.52"	2.67"	0.15	100	M6-64
68-73mm	2.68"	2.90"	0.15	100	M6-68

Product Information : Do not use M6 **MAXI** clamps on wire reinforced or PVC suction hose over 1- 1/4" I.D. Use **M8** or **M10** clamps.

M6 MAXI CLAMP LIGHT STAINLESS



Application

:Rugged Heavy Duty Wide Band Clamp for use in medium pressure

Size	Decimal Min	Decimal Max	Weight (lbs)	Std Pack Qty	Part #
26-28mm	1.02"	1.13"	0.10	100	M6S-26
29-31mm	1.14"	1.25"	0.10	100	M6S-29
32-35mm	1.26"	1.41"	0.11	100	M6S-32
36-39mm	1.42"	1.56"	0.11	100	M6S-36
44-47mm	1.73"	1.88"	0.12	100	M6S-44
48-51mm	1.89"	2.04"	0.12	100	M6S-48
52-55mm	2.05"	2.17"	0.13	100	M6S-52
56-59mm	2.20"	2.35"	0.14	100	M6S-56
60-63mm	2.36"	2.51"	0.14	100	M6S-60
64-67mm	2.52"	2.67"	0.15	100	M6S-64
68-73mm	2.68"	2.90"	0.15	100	M6S-68

Product Information : Do not use M6 **MAXI** clamps on wire reinforced or PVC suction hose over 1- 1/4" I.D. Use **M8** or **M10** clamps.



M8 MAXI CLAMP STANDARD



Application

: Rugged Heavy Duty Wide Band Clamp for use in medium pressure

Size	Decimal Min	Decimal Max	Weight (lbs)	Std Pack Qty	Part #
44-47mm	1.73"	1.88"	0.24	100	M8-44
48-51mm	1.89"	2.04"	0.25	100	M8-48
52-55mm	2.05"	2.17"	0.25	100	M8-52
56-59mm	2.20"	2.35"	0.26	100	M8-56
60-63mm	2.36"	2.51"	0.27	100	M8-60
64-67mm	2.52"	2.67"	0.28	100	M8-64
68-73mm	2.68"	2.90"	0.30	100	M8-68
74-79mm	2.91"	3.14"	0.31	50	M8-74
80-85mm	3.15"	3.38"	0.31	50	M8-80
86-91mm	3.39"	3.61"	0.32	50	M8-86
92-97mm	3.62"	3.85"	0.33	50	M8-92
98-103mm	3.86"	4.08"	0.33	50	M8-98
104-112mm	4.09"	4.44"	0.35	50	M8-104
113-121mm	4.45"	4.79"	0.36	50	M8-113
122-130mm	4.80"	5.15"	0.37	25	M8-122
131-139mm	5.16"	5.50"	0.37	25	M8-131
140-148mm	5.51"	5.86"	0.37	25	M8-140
149-161mm	5.87"	6.37"	0.37	25	M8-149
162-174mm	6.38"	6.88"	0.37	25	M8-162



M8 MAXI CLAMP STAINLESS



Application

: Rugged Heavy Duty Wide Band Clamp for use in medium pressure

Size	Decimal Min	Decimal Max	Weight (lbs)	Std Pack Qty	Part #
32-35mm	1.26"	1.41"	0.22	100	M8S-32
36-39mm	1.42"	1.56"	0.22	100	M8S-36
40-43mm	1.57"	1.72"	0.23	100	M8S-40
44-47mm	1.73"	1.88"	0.24	100	M8S-44
48-51mm	1.89"	2.04"	0.25	100	M8S-48
52-55mm	2.05"	2.17"	0.25	100	M8S-52
56-59mm	2.20"	2.35"	0.26	100	M8S-56
60-63mm	2.36"	2.51"	0.27	100	M8S-60
68-73mm	2.68"	2.90"	0.30	100	M8S-68
64-67mm	2.52"	2.67"	0.28	100	M8S-64
74-79mm	2.91"	3.14"	0.31	50	M8S-74
80-85mm	3.15"	3.38"	0.31	50	M8S-80
86-91mm	3.39"	3.61"	0.32	50	M8S-86
92-97mm	3.62"	3.85"	0.33	50	M8S-92
98-103mm	3.86"	4.08"	0.33	50	M8S-98
113-121mm	4.45"	4.79"	0.36	50	M8S-113
104-112mm	4.09"	4.44"	0.35	50	M8S-104
122-130mm	4.80"	5.15"	0.37	25	M8S-122
131-139mm	5.16"	5.50"	0.37	25	M8S-131
140-148mm	5.51"	5.86"	0.37	25	M8S-140
149-161mm	5.87"	6.37"	0.37	25	M8S-149
162-174mm	6.38"	6.88"	0.37	25	M8S-162



M10 MAXI CLAMP DOUBLE BOLT



Application

: Rugged Heavy Duty Wide Band Clamp for use in medium pressure

Size	Decimal Min	Decimal Max	Weight (lbs) Std	Pack Qty	Part #
86-91mm	3.39"	3.61"	0.99	50	M10DC-86
92-97mm	3.62"	3.85"	1.02	50	M10DC-92
98-103mm	3.86"	4.08"	1.04	50	M10DC-98
104-112mm	4.09"	4.44"	1.07	50	M10DC-104
113-121mm	4.45"	4.79"	1.08	50	M10DC-113
122-130mm	4.80"	5.15"	1.15	25	M10DC-122
131-139mm	5.16"	5.50"	1.20	25	M10DC-131
140-148mm	5.51"	5.86"	1.23	25	M10DC-140
149-161mm	5.87"	6.37"	1.26	25	M10DC-149
162-174mm	6.38"	6.88"	1.30	25	M10DC-162
175-187mm	6.89"	7.39"	1.37	25	M10DC-175
188-200mm	7.40"	7.86"	1.42	25	M10DC-188
200-220mm	7.87"	8.66"	1.48	25	M10DC-200
220-240mm	8.66"	9.45"	1.64	25	M10DC-220
240-260mm	9.45"	10.24"	1.67	25	M10DC-240
260-280mm	10.24"	11.02"	1.81	25	M10DC-260
280-300mm	11.02"	11.81"	1.85	25	M10DC-280
300-325mm	11.81"	12.80"	1.94	25	M10OC-300
325-350mm	12.80"	13.78"	2.03	25	M10DC-325
350-375mm	13.78"	14.76"	2.11	25	M10DC-350
375-400mm	14.76"	15.75"	2.20	25	M10DC-375
400-425mm	15.75"	16.73"	2.29	25	M10DC-400
425-450mm	16.73"	17.72"	2.38	25	M10DC-425
450-475mm	17.72"	18.70"	2.47	25	M10DC-450



M10 MAXI CLAMP HEAVY



Application

: Rugged Heavy Duty Wide Band Clamp for use in medium pressure

Size	Decimal Min	Decimal Max	Weight (lbs)	Std Pack Qty	Part #
68-73mm	2.68"	2.90"	0.59	50	M10-68
74-79mm	2.91"	3.14"	0.61	50	M10-74
80-85mm	3.15"	3.38"	0.62	50	M10-80
86-91mm	3.39"	3.61"	0.64	50	M10-86
92-97mm	3.62"	3.85"	0.66	50	M10-92
98-103mm	3.86"	4.08"	0.69	50	M10-98
104-112mm	4.09"	4.44"	0.72	50	M10-104
113-121mm	4.45"	4.79"	0.74	50	M10-113
122-130mm	4.80"	5.15"	0.77	25	M10-122
131-139mm	5.16"	5.50"	0.80	25	M10-131
140-148mm	5.51"	5.86"	0.84	25	M10-140
149-161mm	5.87"	6.37"	0.88	25	M10-149
162-174mm	6.38"	6.88"	0.90	25	M10-162
175-187mm	6.89"	7.39"	0.96	25	M10-175
188-200mm	7.40"	7.86"	0.98	25	M10-188
201-213mm	7.91"	8.42"	0.97	25	M10-201
214-226mm	8.43"	8.90"	1.06	25	M10-214
227-239mm	8.94"	9.44"	1.15	25	M10-227
240-252mm	9.45"	9.92"	1.23	25	M10-240
248-260mm	9.76"	10.24"	1.32	25	M10-248



CLAMPS / COLLETS

MEGAKLAMP



Size	Decimal	Min	Decimal	Max	Weight (lbs)	Std	Pack	Qty	Part#
17-19mm	0.67"		0.75"		0.07		100		MKL-019-SP
20-22mm	0.79"		0.87"		0.07		100		MKL-02.2-SP
23-25mm	0.87"		0.98"		0.09		100		MKL-025-SP
26-28mm	1.02"		1.10"		0.11		100		MKL-028-SP
29-31mm	1.14"		1.22"		0.11		100		MKL-031-SP
32-35mm	1.26"		1.38"		0.13		100		MKL-035-SP
36-39mm	1.42"		1.54"		0.13		100		MKL-039-SP
40-43mm	1.57"		1.69"		0.13		100		MKL-043-SP
44-47mm	1.73"		1.85"		0.22		100		MKL-047-SP
48-51mm	1.89"		2.01"		0.22		100		MKL-051-SP
52-55mm	2.05"		2.17"		0.22		100		MKL-055-SP
56-59mm	2.20"		2.32"		0.22		100		MKL-059-SP
60-63mm	2.36"		2.48"		0.24		100		MKL-063-SP
64-67mm	2.52"		2.64"		0.24		100		MKL-067-SP
68-73mm	2.68"		2.87"		0.33		50		MKL-073-SP
74-79mm	2.91"		3.11"		0.35		50		MKL-079-SP
80-85mm	3.15"		3.35"		0.35		50		MKL-085-SP
86-91mm	3.39"		3.58"		0.35		50		MKL-091-SP
92-97mm	3.62"		3.82"		0.37		50		MKL-097-SP
98-103mm	3.86"		4.06"		0.40		50		MKL-103-SP
104-112mm	4.09"		4.41"		0.44		50		MKL-112-SP
113-121mm	4.45"		4.76"		0.44		50		MKL-121-SP
122-130mm	4.80"		5.12"		0.44		25		MKL-130-SP
131-139mm	5.16"		5.47"		0.66		25		MKL-139-SP
140-148mm	5.51"		5.83"		0.66		25		MKL-148-SP
149-161mm	5.87"		6.34"		0.77		25		MKL-161-SP
162-174mm	6.38"		6.85"		0.79		25		MKL-174-SP
175-187mm	6.89"		7.36"		0.79		25		MKL-187-SP
188-200mm	7.40"		7.87"		0.79		25		MKL-200-SP
201-213mm	7.91"		8.39"		0.79		25		MKL-213-SP
214-226mm	8.43"		8.90"		0.79		25		MKL-226-SP
227-239mm	8.94"		9.41"		0.88		25		MKL-239-SP
240-252mm	9.45"		9.92"		1.00		25		MKL-252-SP



SPIRAL CLAMP LEFT & RIGHT

Application

: Special clamps for use with heavily corrugated suction hose. Left (counter clockwise) Right (clockwise)

RIGHT




LEFT



Size	Pitch	Weight (lbs)	Std Pack Qty	Part #	Part #
2"	11mm	0.35	100	SC-200R-SP	SC-200L-SP
2-1/2"	11mm	0.37	100	SC-250R-SP	SC-250L-SP
3"	11mm	0.88	70	SC-300R-SP	SC-300L-SP
4"	15mm	1.05	40	SC-400R-SP	SC-400L-SP
5"	15mm	1.87	30	SC-500R-SP	SC-500L-SP
6"	19mm	2.09	20	SC-600R-SP	SC-600L-SP
8"	19mm	2.64	10	SC-800R-SP	SC-800L-SP
10"	19mm	3.52	10	SC-1000R-SP	SC-1000L-SP
12"	19mm	4.41	10	SC-1200R-SP	SC-1200L-SP


Product Information : To determine left (counter clockwise) or right (clockwise) spiral. Holding the hose, if the helix spirals in a counter clockwise direction away from you, use a left hand clamp, if the helix spirals away in a clockwise direction, use a right hand clamp.



- Designed specifically for silicone hose connections in turbocharged diesel engine air intake and air charge air systems.

- PACKAGING:** 50 and 100 Piece Cartons

MINI FLEX SEAL



- Wherever leakage caused by cold flow or the normal expansion is a problem.

- Designed specially for silicone and EPDM hose connections or on radiators and engine blocks / manifolds.
- Solves "blow-off" failures common on air intake / charge-air systems of turbocharged internal combustion engines.

PART #	Range (IN.)	Range (MM)
HC20-150	1.30 - 1.56	33 - 40
HC20-175	1.56 - 1.81	40 - 46
HC20-188	1.69 - 1.94	43 - 49
HC20-200	1.80 - 2.06	46 - 52
HC20-225	2.06 - 2.31	52 - 59
HC20-238	2.19 - 2.50	58 - 64
HC20-250	2.31 - 2.62	59 - 67
HC20-263	2.38 - 2.69	60 - 68
HC20-270	2.44 - 2.75	62 - 70
HC20-275	2.56 - 2.87	65 - 73
HC20-288	2.69 - 3.00	68 - 76
HC20-300	2.81 - 3.12	71 - 79
HC20-312	2.94 - 3.25	75 - 83
HC20-325	3.06 - 3.37	78 - 86
HC20-350	3.31 - 3.62	84 - 92
HC20-375	3.56 - 3.87	90 - 98
HC20-382	3.63 - 3.94	92 - 100
HC20-400	3.81 - 4.12	97 - 105
HC20-425	4.06 - 4.37	103 - 111
HC20-450	4.31 - 4.62	110 - 117
HC20-475	4.56 - 4.87	116 - 124
HC20-500	4.81 - 5.12	122 - 130
HC20-525	5.06 - 5.37	129 - 137
HC20-550	5.31 - 5.61	135 - 143
HC20-575	5.56 - 5.87	141 - 149
HC20-600	5.81 - 6.12	148 - 156